

西南交通大学电气工程学院卫生检查成绩（天佑斋3号-2019级男生）

寝室号	检查项目							寝室卫生成绩 50分	寝室安全成绩 30分	寝室文化成绩 20分	总分100
	地面 墙壁8 分	门窗4 分	书桌6 分	阳台6 分	床 6分	垃圾 筐 4分	洗手 间 6分				
T031036	8.0	4.0	8.0	8.0	7.0	6.0	7.0	48.0	30.0	18.0	96.0
T031038	8.0	4.0	7.0	7.0	7.0	6.0	7.0	46.0	30.0	18.0	94.0
T031039	8.0	4.0	7.0	7.0	8.0	6.0	7.0	47.0	30.0	18.0	95.0
T031040	8.0	3.0	7.0	8.0	7.0	5.0	7.0	45.0	30.0	18.0	93.0
T031041	8.0	3.0	7.0	8.0	7.0	6.0	8.0	47.0	30.0	18.0	95.0
T031042	8.0	4.0	8.0	7.0	7.0	6.0	7.0	47.0	30.0	18.0	95.0
T031043	8.0	3.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	19.0	97.0
T031044	8.0	4.0	7.0	7.0	7.0	6.0	7.0	46.0	30.0	18.0	94.0
T031046	8.0	4.0	8.0	7.0	7.0	5.0	7.0	46.0	30.0	18.0	94.0
T031047	8.0	4.0	8.0	7.0	7.0	5.0	8.0	47.0	30.0	19.0	96.0
T031048	8.0	4.0	8.0	7.0	7.0	5.0	7.0	46.0	30.0	18.0	94.0
T031049	8.0	4.0	8.0	7.0	7.0	6.0	8.0	48.0	30.0	18.0	96.0
T031050	8.0	4.0	8.0	8.0	7.0	6.0	7.0	48.0	30.0	18.0	96.0
T031051	7.0	3.0	7.0	7.0	7.0	5.0	6.0	42.0	30.0	17.0	89.0
T031052	7.0	3.0	7.0	7.0	7.0	5.0	8.0	44.0	30.0	18.0	92.0
T031053	7.0	3.0	7.0	8.0	7.0	5.0	7.0	44.0	30.0	17.0	91.0
T031054	7.0	4.0	7.0	8.0	7.0	5.0	6.0	44.0	30.0	17.0	91.0
T031055	7.0	3.0	7.0	7.0	7.0	6.0	7.0	44.0	30.0	18.0	92.0
T031056	7.0	4.0	7.0	8.0	7.0	6.0	8.0	47.0	30.0	18.0	95.0
T031057	7.0	4.0	7.0	8.0	7.0	6.0	7.0	46.0	30.0	18.0	94.0
T031058	7.0	4.0	7.0	8.0	7.0	6.0	7.0	46.0	30.0	18.0	94.0
T031059	7.0	4.0	8.0	8.0	7.0	5.0	6.0	45.0	30.0	17.0	92.0
T031060	7.0	4.0	8.0	8.0	7.0	6.0	6.0	46.0	30.0	18.0	94.0
T031061	7.0	3.0	7.0	7.0	7.0	5.0	6.0	42.0	30.0	18.0	90.0
T031062	7.0	3.0	7.0	8.0	7.0	6.0	8.0	46.0	30.0	18.0	94.0
T031063	8.0	4.0	7.0	8.0	7.0	6.0	7.0	47.0	30.0	18.0	95.0
T031064	8.0	4.0	7.0	8.0	7.0	6.0	8.0	48.0	30.0	19.0	97.0
T031065	7.0	3.0	7.0	7.0	6.0	6.0	7.0	43.0	30.0	17.0	90.0
T031066	7.0	3.0	7.0	8.0	6.0	6.0	8.0	45.0	30.0	18.0	93.0
T031067	7.0	3.0	7.0	8.0	6.0	6.0	7.0	44.0	30.0	18.0	92.0
T032038	7.0	3.0	7.0	6.0	7.0	5.0	8.0	43.0	30.0	17.0	90.0
T032039	8.0	3.0	7.0	8.0	7.0	4.0	7.0	44.0	30.0	17.0	91.0
T032040	7.0	3.0	7.0	8.0	7.0	5.0	7.0	44.0	30.0	18.0	92.0
T032041	7.0	3.0	7.0	8.0	7.0	6.0	8.0	46.0	30.0	18.0	94.0
T032042	7.0	3.0	7.0	7.0	8.0	6.0	7.0	45.0	30.0	18.0	93.0
T032043	7.0	3.0	8.0	7.0	8.0	6.0	8.0	47.0	30.0	18.0	95.0
T032044	7.0	3.0	7.0	7.0	8.0	6.0	8.0	46.0	30.0	18.0	94.0
T032045	8.0	3.0	8.0	7.0	8.0	6.0	8.0	48.0	30.0	18.0	96.0
T032046	7.0	3.0	7.0	7.0	7.0	5.0	8.0	44.0	30.0	18.0	92.0
T032047	7.0	3.0	8.0	8.0	7.0	5.0	8.0	46.0	30.0	18.0	94.0
T032048	7.0	3.0	7.0	8.0	7.0	6.0	8.0	46.0	30.0	18.0	94.0
T032049	8.0	3.0	7.0	8.0	8.0	5.0	8.0	47.0	30.0	18.0	95.0
T032050	8.0	3.0	7.0	8.0	7.0	6.0	8.0	47.0	30.0	18.0	95.0
T032051	8.0	4.0	7.0	7.0	8.0	4.0	7.0	45.0	30.0	18.0	93.0
T032052	8.0	4.0	8.0	8.0	7.0	6.0	7.0	48.0	30.0	18.0	96.0
T032053	8.0	4.0	8.0	7.0	7.0	6.0	7.0	47.0	30.0	18.0	95.0
T032054	7.0	4.0	7.0	8.0	6.0	6.0	7.0	45.0	30.0	18.0	93.0
T032055	7.0	4.0	6.0	7.0	7.0	6.0	8.0	45.0	30.0	18.0	93.0
T032056	8.0	4.0	6.0	8.0	6.0	6.0	8.0	46.0	30.0	18.0	94.0
T032057	7.0	4.0	6.0	7.0	8.0	6.0	8.0	46.0	30.0	17.0	93.0
T032058	7.0	4.0	5.0	6.0	8.0	6.0	8.0	44.0	30.0	18.0	92.0
T032059	7.0	4.0	6.0	6.0	6.0	6.0	8.0	43.0	30.0	15.0	88.0
T032060	7.0	4.0	6.0	6.0	6.0	5.0	8.0	42.0	30.0	16.0	88.0
T032061	8.0	4.0	7.0	7.0	8.0	6.0	8.0	48.0	30.0	17.0	95.0
T032062	8.0	4.0	7.0	7.0	6.0	6.0	8.0	46.0	30.0	17.0	93.0
T032063	8.0	3.0	6.0	8.0	8.0	5.0	8.0	46.0	30.0	20.0	96.0

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分100
	地面 墙壁8 分	门窗4 分	书桌6 分	阳台6 分	床 6分	垃圾 筐 4分	洗手 间 6分				
T032064	6.0	4.0	5.0	6.0	6.0	6.0	8.0	41.0	30.0	19.0	90.0
T032065	7.0	4.0	7.0	7.0	6.0	6.0	8.0	45.0	30.0	20.0	95.0
T032066	7.0	4.0	6.0	7.0	6.0	6.0	8.0	44.0	30.0	20.0	94.0
T032067	7.0	4.0	7.0	6.0	8.0	6.0	8.0	46.0	30.0	20.0	96.0
T032068	7.0	3.0	6.0	7.0	8.0	4.0	8.0	43.0	30.0	18.0	91.0
T032069	6.0	2.0	7.0	6.0	6.0	6.0	8.0	41.0	30.0	19.0	90.0
T032070	7.0	2.0	6.0	7.0	8.0	4.0	8.0	42.0	30.0	18.0	90.0
T032071	6.0	4.0	6.0	6.0	8.0	5.0	8.0	43.0	30.0	19.0	92.0
T032072	7.0	3.0	7.0	7.0	7.0	6.0	8.0	45.0	30.0	19.0	94.0
T032073	6.0	3.0	7.0	7.0	8.0	6.0	8.0	45.0	30.0	18.0	93.0
T032074	8.0	4.0	6.0	7.0	7.0	5.0	8.0	45.0	30.0	20.0	95.0
T032075	7.0	4.0	6.0	6.0	7.0	6.0	8.0	44.0	30.0	20.0	94.0
T032076	7.0	2.0	7.0	7.0	7.0	6.0	8.0	44.0	30.0	19.0	93.0
T032077	8.0	4.0	6.0	8.0	5.0	6.0	7.0	44.0	30.0	20.0	94.0
T032078	7.0	4.0	7.0	7.0	5.0	6.0	8.0	44.0	30.0	20.0	94.0
T032079	8.0	4.0	7.0	7.0	8.0	6.0	8.0	48.0	30.0	20.0	98.0
T032080	8.0	4.0	6.0	7.0	8.0	6.0	7.0	46.0	30.0	20.0	96.0
T032081	7.0	4.0	7.0	7.0	8.0	6.0	7.0	46.0	30.0	20.0	96.0
T032082	8.0	4.0	7.0	8.0	7.0	5.0	8.0	47.0	30.0	20.0	97.0
T032083	7.0	3.0	5.0	7.0	6.0	5.0	8.0	41.0	30.0	20.0	91.0
T032084	8.0	4.0	6.0	7.0	8.0	6.0	8.0	47.0	30.0	18.0	95.0
T032085	8.0	4.0	6.0	7.0	8.0	6.0	8.0	47.0	30.0	20.0	97.0
T032086	7.0	4.0	6.0	7.0	7.0	6.0	8.0	45.0	30.0	20.0	95.0
T032087	7.0	4.0	7.0	7.0	8.0	6.0	8.0	47.0	30.0	20.0	97.0
T032088	8.0	4.0	7.0	8.0	7.0	6.0	8.0	48.0	30.0	18.0	96.0
T032089	7.0	4.0	7.0	7.0	7.0	6.0	8.0	46.0	30.0	18.0	94.0
T032090	8.0	4.0	7.0	7.0	8.0	5.0	8.0	47.0	30.0	18.0	95.0
T032091	8.0	4.0	7.0	7.0	8.0	5.0	8.0	47.0	30.0	20.0	97.0
T032092	7.0	4.0	6.0	7.0	8.0	3.0	8.0	43.0	30.0	18.0	91.0
T032093	8.0	4.0	7.0	7.0	8.0	5.0	8.0	47.0	30.0	20.0	97.0
T032094	7.0	4.0	8.0	7.0	6.0	5.0	8.0	45.0	30.0	20.0	95.0
T032095	7.0	4.0	6.0	7.0	8.0	5.0	8.0	45.0	30.0	20.0	95.0
T032096	8.0	4.0	7.0	8.0	7.0	6.0	8.0	48.0	30.0	15.0	93.0
T032097	8.0	4.0	7.0	8.0	8.0	6.0	8.0	49.0	30.0	18.0	97.0
T032098	8.0	4.0	7.0	7.0	6.0	5.0	8.0	45.0	30.0	20.0	95.0
T032099	8.0	4.0	7.0	8.0	8.0	6.0	8.0	49.0	30.0	18.0	97.0
T032100	8.0	4.0	7.0	7.0	8.0	5.0	7.0	46.0	30.0	15.0	91.0
T213038	7.7	4.0	7.7	7.7	7.0	5.3	6.7	46.1	30.0	15.7	91.8
T213039	7.7	3.7	7.0	7.7	7.3	5.3	6.7	45.4	30.0	16.0	91.4
T213040	7.3	3.3	7.0	7.3	7.0	5.7	7.3	44.9	30.0	15.7	90.6
T213041	8.0	4.0	6.3	7.0	8.0	5.3	6.7	45.3	30.0	15.7	91.0
T213042	7.7	3.7	7.0	8.0	7.7	5.0	7.3	46.4	30.0	16.0	92.4
T213043	7.0	4.0	7.0	8.0	7.0	5.0	7.3	45.3	30.0	16.0	91.3
T213044	7.7	3.7	6.7	7.3	7.0	5.0	7.0	44.4	30.0	15.3	89.7

注：黄色表格为茅院宿舍

西南交通大学电气工程学院卫生检查成绩（天佑斋17号-2018级男生）

寝室号	检查项目							寝室卫生成绩 50分	寝室安全成绩 30分	寝室文化成绩 20分	总分 100
	地面 墙壁8 分	门窗4 分	书桌6 分	阳台6 分	床 6分	垃圾 筐4 分	洗手 间 6分				
T174091	7.0	4.0	6.5	8.0	7.0	6.0	7.0	45.5	30.0	16.0	91.5
T174092	8.0	4.0	7.0	8.0	8.0	6.0	7.0	48.0	30.0	16.0	94.0
T174093	4.0	4.0	4.0	6.0	6.0	5.0	7.0	36.0	30.0	13.0	79.0
T174094	8.0	4.0	8.0	8.0	8.0	6.0	6.0	48.0	30.0	16.0	94.0
T174095	6.0	4.0	6.0	6.0	6.0	6.0	6.0	40.0	30.0	14.0	84.0
T175062	8.0	4.0	7.0	7.0	6.0	6.0	6.0	44.0	30.0	16.0	90.0
T175063	8.0	4.0	8.0	8.0	6.0	6.0	6.0	46.0	30.0	16.0	92.0
T175064	8.0	4.0	8.0	4.0	8.0	6.0	8.0	46.0	30.0	16.0	92.0
T175065	4.0	4.0	8.0	6.0	8.0	4.0	6.0	40.0	30.0	14.0	84.0
T175066	6.0	4.0	8.0	8.0	6.0	6.0	8.0	46.0	30.0	16.0	92.0
T175067	8.0	4.0	8.0	6.0	8.0	6.0	8.0	48.0	30.0	16.0	94.0
T175068	8.0	2.0	8.0	8.0	8.0	6.0	8.0	48.0	30.0	16.0	94.0
T175069	6.0	3.0	8.0	7.0	8.0	6.0	6.0	44.0	30.0	14.0	88.0
T175071	6.0	4.0	8.0	8.0	6.0	6.0	8.0	46.0	30.0	16.0	92.0
T175072	7.0	4.0	6.0	8.0	8.0	6.0	8.0	47.0	30.0	16.0	93.0
T175073	4.0	4.0	8.0	6.0	7.0	5.0	8.0	42.0	30.0	14.0	86.0
T175074	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	16.0	96.0
T175075	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	16.0	96.0
T175076	8.0	4.0	8.0	8.0	6.0	6.0	8.0	48.0	30.0	16.0	94.0
T175077	6.0	3.0	8.0	8.0	8.0	6.0	6.0	45.0	30.0	14.0	89.0
T175078	6.0	4.0	6.0	8.0	6.0	4.0	8.0	42.0	30.0	16.0	88.0
T175079	8.0	2.0	8.0	8.0	8.0	6.0	6.0	46.0	30.0	16.0	92.0
T175080	6.0	3.0	8.0	4.0	8.0	6.0	4.0	39.0	30.0	16.0	85.0
T175081	8.0	4.0	6.0	8.0	4.0	6.0	6.0	42.0	30.0	14.0	86.0
T175082	6.0	3.0	6.0	8.0	8.0	6.0	8.0	45.0	30.0	16.0	91.0
T175083	8.0	4.0	6.0	8.0	8.0	5.0	8.0	47.0	30.0	16.0	93.0
T175084	8.0	4.0	8.0	8.0	8.0	6.0	6.0	48.0	30.0	18.0	96.0
T175085	8.0	3.0	8.0	6.0	8.0	6.0	6.0	45.0	30.0	16.0	91.0
T175086	6.0	4.0	6.0	8.0	8.0	6.0	5.0	43.0	30.0	16.0	89.0
T175087	6.0	4.0	6.0	8.0	8.0	6.0	7.0	45.0	30.0	16.0	91.0
T175088	8.0	4.0	8.0	8.0	6.0	6.0	8.0	48.0	30.0	16.0	94.0
T175089	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	18.0	98.0
T175090	8.0	4.0	6.0	8.0	6.0	6.0	8.0	46.0	30.0	16.0	92.0
T175091	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	18.0	98.0
T175092	8.0	4.0	8.0	8.0	6.0	6.0	8.0	48.0	30.0	16.0	94.0
T175093	8.0	3.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	16.0	95.0
T175094	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	16.0	96.0
T175095	8.0	4.0	8.0	8.0	6.0	6.0	6.0	46.0	30.0	16.0	92.0
T175096	6.0	4.0	7.0	7.0	6.0	6.0	6.0	42.0	30.0	16.0	88.0
T176039	6.0	3.0	8.0	8.0	8.0	6.0	6.0	45.0	30.0	16.0	91.0
T176040	6.0	3.0	7.0	8.0	8.0	6.0	8.0	46.0	30.0	16.0	92.0
T176041	6.0	4.0	7.0	8.0	7.0	6.0	8.0	46.0	30.0	16.0	92.0
T176042	6.0	3.0	8.0	8.0	7.0	6.0	8.0	46.0	30.0	16.0	92.0
T176043	6.0	3.0	8.0	8.0	7.0	6.0	8.0	46.0	30.0	16.0	92.0
T176044	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	18.0	98.0
T176045	8.0	4.0	7.0	8.0	4.0	6.0	8.0	45.0	30.0	18.0	93.0
T176046	7.0	3.0	4.0	6.0	4.0	6.0	8.0	38.0	30.0	17.0	85.0
T176047	7.0	4.0	6.0	6.0	5.0	6.0	8.0	42.0	30.0	18.0	90.0
T176048	7.0	3.0	6.0	6.0	4.0	6.0	8.0	40.0	30.0	17.0	87.0
T176049	8.0	4.0	8.0	8.0	7.0	6.0	8.0	49.0	30.0	20.0	99.0
T176050	8.0	4.0	8.0	8.0	6.0	5.0	8.0	47.0	30.0	20.0	97.0
T176051	8.0	4.0	6.0	6.0	5.0	6.0	8.0	43.0	30.0	20.0	93.0
T176052	8.0	4.0	7.0	8.0	7.0	6.0	7.0	47.0	30.0	18.0	95.0
T176053	7.0	3.0	6.0	8.0	7.0	6.0	8.0	45.0	30.0	18.0	93.0
T176054	8.0	4.0	6.0	8.0	6.0	5.0	8.0	45.0	30.0	18.0	93.0
T176055	8.0	3.0	6.0	7.0	5.0	3.0	8.0	40.0	30.0	18.0	88.0

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分 100
	地面 墙壁8 分	门窗4 分	书桌6 分	阳台6 分	床 6分	垃圾 筐 4分	洗手 间 6分				
T176056	8.0	3.0	6.0	8.0	4.0	5.0	8.0	42.0	30.0	17.0	89.0
T176057	8.0	3.0	6.0	8.0	6.0	6.0	8.0	45.0	30.0	18.0	93.0
T176058	6.0	4.0	6.0	8.0	8.0	6.0	8.0	46.0	30.0	17.0	93.0
T176059	7.0	3.0	6.0	6.0	5.0	6.0	8.0	41.0	30.0	18.0	89.0
T176060	8.0	4.0	6.0	7.0	7.0	6.0	8.0	46.0	30.0	19.0	95.0
T176061	4.0	2.0	7.0	8.0	6.0	5.0	8.0	40.0	30.0	18.0	88.0
T176062	8.0	4.0	5.0	7.0	5.0	6.0	8.0	43.0	30.0	17.0	90.0
T176063	7.0	4.0	6.0	8.0	5.0	6.0	8.0	44.0	30.0	18.0	92.0
T176065	5.0	3.0	6.0	8.0	6.0	6.0	8.0	42.0	30.0	18.0	90.0
T176066	8.0	4.0	6.0	8.0	5.0	6.0	8.0	45.0	30.0	17.0	92.0
T176067	8.0	4.0	7.0	8.0	5.0	6.0	8.0	46.0	30.0	18.0	94.0
T176068	4.0	4.0	6.0	8.0	5.0	6.0	8.0	41.0	30.0	17.0	88.0
T176069	8.0	4.0	6.0	8.0	6.0	6.0	8.0	46.0	30.0	17.0	93.0
T176070	8.0	4.0	6.0	7.0	4.0	6.0	8.0	43.0	30.0	17.0	90.0
T176071	8.0	4.0	6.0	6.0	7.0	6.0	8.0	45.0	30.0	18.0	93.0
T176072	8.0	3.0	6.0	8.0	7.0	6.0	8.0	46.0	30.0	18.0	94.0
T176073	8.0	3.0	6.0	8.0	7.0	6.0	8.0	46.0	30.0	18.0	94.0
T176074	8.0	4.0	6.0	8.0	7.0	6.0	8.0	47.0	30.0	19.0	96.0
T176075	8.0	4.0	6.0	8.0	6.0	6.0	8.0	46.0	30.0	18.0	94.0
T176076	8.0	3.0	6.0	8.0	7.0	6.0	8.0	46.0	30.0	17.0	93.0
T176077	8.0	3.0	7.0	8.0	6.0	6.0	8.0	46.0	30.0	18.0	94.0
T176078	4.0	4.0	5.0	7.0	6.0	6.0	8.0	40.0	30.0	18.0	88.0
T176079	7.0	4.0	6.0	8.0	6.0	5.0	8.0	44.0	30.0	18.0	92.0
T176080	8.0	3.0	6.0	8.0	5.0	6.0	8.0	44.0	30.0	18.0	92.0
T176081	5.0	3.0	6.0	7.0	6.0	6.0	8.0	41.0	30.0	17.0	88.0
T176082	6.0	4.0	5.0	7.0	4.0	5.0	8.0	39.0	30.0	18.0	87.0
T176083	5.0	4.0	5.0	7.0	4.0	6.0	8.0	39.0	30.0	17.0	86.0
T176084	8.0	4.0	6.0	8.0	4.0	6.0	8.0	44.0	30.0	17.0	91.0
T176085	6.0	3.0	6.0	7.0	6.0	6.0	8.0	42.0	30.0	19.0	91.0
T176086	6.0	4.0	6.0	7.0	7.0	6.0	8.0	44.0	30.0	18.0	92.0
T176087	8.0	4.0	6.0	7.0	7.0	6.0	8.0	46.0	30.0	18.0	94.0
T176088	6.0	3.0	6.0	8.0	4.0	6.0	8.0	41.0	30.0	18.0	89.0
T176089	6.0	4.0	6.0	8.0	6.0	6.0	8.0	44.0	30.0	18.0	92.0

西南交通大学电气工程学院卫生检查成绩（天佑斋4号-2017级男生）

寝室号	检查项目							寝室卫生成绩 50分	寝室安全成绩 30分	寝室文化成绩 20分	总分 100
	地面 墙壁8 分	门窗4 分	书桌6 分	阳台6 分	床 6分	垃圾 筐 4分	洗手 间 6分				
T041041	6.0	3.0	7.0	8.0	8.0	6.0	8.0	46.0	30.0	15.5	91.5
T041047	6.0	3.0	6.0	8.0	6.0	5.0	8.0	42.0	30.0	15.5	87.5
T041048	8.0	3.0	7.0	8.0	7.0	6.0	8.0	47.0	30.0	14.5	91.5
T041049	8.0	4.0	6.0	8.0	8.0	6.0	8.0	48.0	30.0	15.5	93.5
T041050	8.0	3.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	15.5	93.5
T041052	8.0	3.0	7.0	8.0	7.0	4.0	8.0	45.0	30.0	15.5	90.5
T041053	5.0	4.0	6.0	8.0	8.0	6.0	8.0	45.0	30.0	14.5	89.5
T041054	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	13.5	93.5
T041055	8.0	4.0	7.0	8.0	8.0	6.0	8.0	49.0	30.0	14.5	93.5
T041056	6.0	3.0	6.0	8.0	7.0	4.0	8.0	42.0	30.0	15.5	87.5
T041058	7.0	3.0	6.0	8.0	7.0	6.0	8.0	45.0	30.0	16.5	91.5
T041059	6.0	3.0	6.0	8.0	7.0	6.0	8.0	44.0	30.0	14.5	88.5
T041060	6.0	3.0	7.0	8.0	8.0	6.0	8.0	46.0	30.0	15.5	91.5
T041061	7.0	2.0	6.0	8.0	8.0	4.0	8.0	43.0	30.0	14.5	87.5
T041062	7.0	2.0	6.0	8.0	5.0	5.0	8.0	41.0	30.0	16.5	87.5
T041063	8.0	4.0	6.0	8.0	6.0	5.0	8.0	45.0	30.0	13.5	88.5
T041064	6.0	3.0	6.0	8.0	6.0	5.0	8.0	42.0	30.0	15.5	87.5
T042001	8.0	3.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	15.5	94.5
T042002	6.0	4.0	8.0	8.0	8.0	6.0	8.0	48.0	30.0	16.5	94.5
T042003	7.0	3.0	7.0	8.0	8.0	4.0	8.0	45.0	30.0	13.5	88.5
T042004	8.0	4.0	7.0	8.0	7.0	6.0	8.0	48.0	30.0	14.5	92.5
T042005	7.0	3.0	7.0	8.0	7.0	6.0	8.0	46.0	30.0	15.5	91.5
T042006	6.0	4.0	8.0	8.0	7.0	6.0	8.0	47.0	30.0	15.5	92.5
T042007	6.0	4.0	6.0	8.0	7.0	5.0	8.0	44.0	30.0	16.5	90.5
T042008	6.0	3.0	7.0	8.0	7.0	4.0	8.0	43.0	30.0	16.5	89.5
T042009	5.0	3.0	7.0	8.0	7.0	6.0	8.0	44.0	30.0	15.5	89.5
T042010	7.0	4.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	14.5	92.5
T042011	6.0	3.0	7.0	8.0	6.0	5.0	8.0	43.0	30.0	14.5	87.5
T042012	5.0	3.0	7.0	8.0	8.0	6.0	8.0	45.0	30.0	14.5	89.5
T042013	6.0	4.0	7.0	8.0	7.0	6.0	8.0	46.0	30.0	15.5	91.5
T042014	7.0	2.0	6.0	8.0	7.0	6.0	8.0	44.0	30.0	16.5	90.5
T042015	5.0	3.0	6.0	8.0	6.0	4.0	8.0	40.0	30.0	16.5	86.5
T042016	5.0	3.0	6.0	8.0	7.0	6.0	8.0	43.0	30.0	16.5	89.5
T042017	5.0	4.0	7.0	8.0	7.0	6.0	8.0	45.0	30.0	15.5	90.5
T042018	7.0	4.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	14.5	92.5
T042019	6.0	3.0	7.0	8.0	7.0	6.0	8.0	45.0	30.0	15.5	90.5
T042020	6.0	3.0	7.0	8.0	8.0	6.0	8.0	46.0	30.0	16.5	92.5
T042021	7.0	4.0	8.0	8.0	8.0	6.0	8.0	49.0	30.0	15.5	94.5
T042022	8.0	4.0	7.0	8.0	7.0	5.0	8.0	47.0	30.0	16.5	93.5
T042023	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	16.5	96.5
T042024	8.0	3.0	8.0	8.0	7.0	6.0	8.0	48.0	30.0	16.5	94.5
T042025	8.0	4.0	7.0	8.0	7.0	6.0	8.0	48.0	30.0	16.5	94.5
T043001	8.0	4.0	5.0	7.0	7.0	6.0	7.0	44.0	30.0	18.0	92.0
T043002	8.0	3.0	6.0	7.5	8.0	6.0	8.0	46.5	30.0	17.0	93.5
T043003	7.0	4.0	5.0	7.0	6.0	4.0	7.0	40.0	30.0	18.0	88.0
T043004	8.0	4.0	7.0	7.5	7.0	5.0	7.0	45.5	30.0	17.0	92.5
T043005	8.0	4.0	7.0	7.0	7.0	6.0	7.5	46.5	30.0	16.0	92.5
T043006	7.0	3.0	5.0	5.0	7.0	6.0	6.0	39.0	30.0	16.0	85.0
T043007	8.0	4.0	8.0	7.5	8.0	6.0	8.0	49.5	30.0	19.0	98.5
T043008	8.0	4.0	7.0	6.5	7.0	6.0	7.0	45.5	30.0	19.0	94.5
T043009	8.0	4.0	5.0	6.5	6.0	6.0	7.0	42.5	30.0	17.0	89.5
T043010	6.0	3.0	7.0	5.0	8.0	6.0	7.0	42.0	30.0	17.0	89.0
T043011	7.0	4.0	8.0	7.0	7.0	6.0	7.0	46.0	30.0	18.0	94.0
T043012	8.0	4.0	7.0	6.0	7.0	5.0	7.0	44.0	30.0	18.0	92.0
T043013	7.0	4.0	8.0	7.0	8.0	6.0	8.0	48.0	30.0	18.0	96.0
T043014	7.0	4.0	8.0	7.0	7.0	6.0	8.0	47.0	30.0	18.0	95.0

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分 100
	地面 墙壁8 分	门窗4 分	书桌6 分	阳台6 分	床 6分	垃圾 筐 4分	洗手 间 6分				
T043015	7.0	4.0	8.0	6.0	7.0	5.0	7.0	44.0	30.0	18.0	92.0
T043016	7.0	2.0	6.0	6.0	6.0	4.0	6.0	37.0	30.0	16.0	83.0
T043017	7.0	2.0	5.0	6.0	7.0	4.0	6.0	37.0	30.0	17.0	84.0
T043018	8.0	3.0	8.0	7.0	7.0	6.0	7.0	46.0	30.0	18.0	94.0
T043019	7.0	3.0	8.0	7.0	7.0	6.0	8.0	46.0	30.0	18.0	94.0
T043020	8.0	3.0	6.0	7.0	5.0	5.0	7.0	41.0	30.0	18.0	89.0
T043021	7.0	4.0	8.0	6.0	7.0	5.0	6.0	43.0	30.0	18.0	91.0
T044001	8.0	3.0	8.0	7.0	7.0	5.0	8.0	46.0	30.0	18.0	94.0
T044002	7.0	4.0	8.0	8.0	6.0	6.0	8.0	47.0	30.0	18.0	95.0
T044003	8.0	4.0	7.0	6.0	7.0	6.0	7.0	45.0	30.0	19.0	94.0
T044004	7.0	3.0	7.0	5.0	7.0	4.0	6.0	39.0	30.0	18.0	87.0
T044005	6.0	3.0	6.0	6.0	6.0	6.0	6.0	39.0	30.0	17.0	86.0
T044006	8.0	4.0	7.0	6.0	7.0	5.0	7.0	44.0	30.0	18.0	92.0
T044007	6.0	3.0	7.0	6.0	7.0	5.0	7.0	41.0	30.0	18.0	89.0
T044008	7.0	4.0	7.0	6.0	8.0	5.0	6.0	43.0	30.0	19.0	92.0
T044009	7.0	4.0	6.0	6.0	6.0	6.0	7.0	42.0	30.0	18.0	90.0
T044010	7.0	4.0	8.0	8.0	8.0	6.0	7.0	48.0	30.0	18.0	96.0
T044011	8.0	4.0	8.0	6.0	7.0	5.0	7.0	45.0	30.0	18.0	93.0
T044012	7.0	2.0	8.0	8.0	8.0	6.0	8.0	47.0	30.0	19.0	96.0
T044013	7.0	3.0	6.0	5.0	6.0	5.0	7.0	39.0	30.0	17.0	86.0
T044014	7.0	3.0	7.0	6.0	6.0	5.0	6.0	40.0	30.0	18.0	88.0
T044015	7.0	3.0	8.0	6.0	6.0	5.0	5.0	40.0	30.0	18.0	88.0
T044016	8.0	3.0	7.0	6.0	7.0	5.0	7.0	43.0	30.0	18.0	91.0
T044017	8.0	3.0	8.0	6.0	7.0	5.0	6.0	43.0	30.0	18.0	91.0
T044018	8.0	4.0	8.0	6.0	7.0	6.0	6.0	45.0	30.0	19.0	94.0
T044019	8.0	3.0	7.0	6.0	8.0	6.0	7.0	45.0	30.0	18.0	93.0
T044020	7.0	4.0	8.0	6.0	7.0	6.0	6.0	44.0	30.0	18.0	92.0
T044021	8.0	4.0	5.0	6.0	6.0	5.0	6.0	40.0	30.0	19.0	89.0
T044022	7.0	3.0	7.0	6.0	6.0	5.0	6.0	40.0	30.0	16.0	86.0
T044023	7.0	3.0	8.0	6.0	8.0	5.0	6.0	43.0	30.0	18.0	91.0